

**France Mouse Immunocompetent
EUROPEAN**

Charles River Laboratories France

Location
CRL France A04E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Minute Virus of Mouse (MVM)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Mouse Parvovirus (MPV)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Mouse Hepatitis Virus (MHV)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Mouse Norovirus (MNV)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Theiler Virus (TMEV - GDVII)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Rotavirus (EDIM)</i> ae	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Sendai (SEND)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Reovirus 3 (REO3)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Pneumonia Virus (PVM)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Mouse Thymic Virus (MTV)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
<i>Mouse Cytomegalovirus (MCMV)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
<i>Hantaan Virus (HANT)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
<i>Lymphocytic choriomeningitis (LCMV)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Mouse Adenovirus (MAV 1&2)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>K Virus (K)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
<i>Ectromelia (ECTRO)</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Polyoma Virus (POLY)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
<i>Lactate Dehydrogenase Virus (LDV)</i> af	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100
Bacteria					
<i>Tyzzler's Disease (CPIL)</i> af	Necropsy Exam	RADS EU	26-Jan-2021	0 / 4	0 / 100
<i>Bordetella bronchiseptica</i> af	Culture	RADS EU	03-Feb-2021	0 / 1	0 / 166
<i>Citrobacter rodentium</i> af	Culture	RADS EU	03-Feb-2021	0 / 1	0 / 166
<i>Corynebacterium kutscheri</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 506
<i>Corynebacterium bovis</i> ad	PCR/Culture	RADS US/EU	08-Feb-2021	0 / 5	0 / 508
<i>Mycoplasma pulmonis</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Pasteurella pneumotropica</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 506
<i>Pasteurella multocida</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 496
<i>Salmonella spp</i> af	Culture	RADS EU	03-Feb-2021	0 / 1	0 / 168
<i>Streptobacillus moniliformis</i> af	PCR / Exam	RADS US/EU	03-Feb-2021	0 / 1	0 / 166
<i>Beta Hemolytic Streptococci</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 506
<i>Streptococcus pneumoniae</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 506
<i>Helicobacter hepaticus</i> af	PCR	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Helicobacter bilis</i> af	PCR	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Helicobacter, other spp</i> af	PCR	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Staphylococcus aureus</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 508
<i>Pseudomonas aeruginosa</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 510
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 508
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 508

France Mouse Immunocompetent
EUROPEAN

Charles River Laboratories France

Location
CRL France A04E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Pneumocystis spp.</i> af	PCR	RADS US	03-Feb-2021	0 / 1	0 / 166
<i>Proteus mirabilis</i> ad	Culture	RADS EU	08-Feb-2021	0 / 5	0 / 508
CAR <i>Bacillus</i> af	MFIA	RADS US	03-Feb-2021	0 / 1	0 / 166
Lesions observed					
Gross Exam ae	Necropsy exam	RADS EU	26-Jan-2021	0 / 4	0 / 100
Parasites					
<i>Ectoparasites</i> ae	Direct Exam	RADS EU	03-Feb-2021	0 / 1	0 / 168
<i>Helminths</i> ae	Direct Exam	RADS EU	03-Feb-2021	0 / 1	0 / 166
<i>Enteric Pathogenic Protozoa</i> ae	Direct Exam	RADS EU	03-Feb-2021	0 / 1	0 / 166
<i>Other protozoa</i> ae	Direct Exam	RADS EU	03-Feb-2021	0 / 1	0 / 166
<i>E. cuniculi</i> ae	MFIA	RADS US	26-Jan-2021	0 / 4	0 / 100

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
CD1-E	C57BL/6N

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services United States Wilmington Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU
Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination;
b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks;
e = screened quarterly on all isolators;
f = screened quarterly on 1/4 of isolators.

A04 isolators room SOPF : immunocompetent