

**France Mouse Immunodeficient**  
**EUROPEAN**

Charles River Laboratories France

Location  
CRL France A04I Mice

Health Status  
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Viruses</b>					
<i>Minute Virus of Mouse (MVM) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Mouse Parvovirus (MPV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Mouse Hepatitis Virus (MHV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Mouse Norovirus (MNV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Theiler Virus (TMEV - GDVII) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Rotavirus (EDIM) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Sendai Virus (SEND) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Reovirus 3 (REO3) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Pneumonia Virus of Mice (PVM) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Mouse Thymic Virus (MTV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Mouse Cytomegalovirus (MCMV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Hantaan Virus (HANT) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Lymphocytic Choriomeningitis (LCMV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Mouse Adenovirus (MAV 1&amp;2) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>K Virus (K) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Ectromelia Virus (ECTRO) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Polyoma Virus (POLY) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Lactate Dehydrogenase Virus (LDV) ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104
<i>Mouse Chapparrivirus (MuCPV) ae</i>	PCR	RADS US	19-Apr-2021	0 / 4	0 / 56
<b>Bacteria</b>					
<i>Tyzzers Disease (CPIL) ae</i>	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 208
<i>Bordetella bronchiseptica ae</i>	Culture	RADS EU	19-Apr-2021	0 / 4	0 / 226
<i>Citrobacter rodentium ae</i>	Culture	RADS EU	19-Apr-2021	0 / 4	0 / 226
<i>Corynebacterium kutscheri ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Corynebacterium bovis ad</i>	PCR/Culture	RADS US/EU	03-May-2021	0 / 8	0 / 639
<i>Mycoplasma pulmonis ae</i>	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<i>Rodentibacter heyltii ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Rodentibacter pneumotropicus ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Pasteurella multocida ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 621
<i>Salmonella spp ae</i>	Culture	RADS EU	19-Apr-2021	0 / 4	0 / 226
<i>Streptobacillus moniliformis ae</i>	PCR / Exam	RADS US/EU	19-Apr-2021	0 / 4	0 / 226
<i>Beta Streptococcus spp. ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Streptococcus pneumoniae ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Helicobacter hepaticus ae</i>	PCR	RADS US	19-Apr-2021	0 / 4	0 / 226
<i>Helicobacter bilis ae</i>	PCR	RADS US	19-Apr-2021	0 / 4	0 / 226
<i>Helicobacter, other spp. ae</i>	PCR	RADS US	19-Apr-2021	0 / 4	0 / 226
<i>Staphylococcus aureus ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Pseudomonas aeruginosa ad</i>	Culture	RADS EU	03-May-2021	0 / 8	0 / 639

**France Mouse Immunodeficient**  
**EUROPEAN**

Charles River Laboratories France

Location  
CRL France A04I Mice

Health Status  
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Bacteria</b>					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Pneumocystis spp.</i> ae	PCR	RADS US	19-Apr-2021	0 / 4	0 / 226
<i>Proteus mirabilis</i> ad	Culture	RADS EU	03-May-2021	0 / 8	0 / 639
<i>Filobacterium rodentium (CAR Bacillus)</i> ae	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 122
<b>Lesions observed</b>					
Gross Exam ae	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 208
<b>Parasites</b>					
Ectoparasites ae	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 226
Helminths ae	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 226
Enteric Pathogenic Protozoa ae	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 226
Other protozoa ae	Exam	RADS EU	19-Apr-2021	0 / 4	0 / 226
Encephalitozoon cuniculi ae	MFIA	RADS US	19-Apr-2021	0 / 2	0 / 104

\* dashes indicate not tested during specified period.

HOUSED STRAINS

**Other Strains**  
Congenic  
NOD SCID J  
NSG

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France  
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened annually.