

EUROPE MOUSE SOPF/CCF

EUROPEAN

Charles River Laboratories France

Location
CRL France B12 Mice

Health Status
SOPF/CCF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Minute Virus of Mouse (MVM)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Mouse Parvovirus (MPV)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Mouse Hepatitis Virus (MHV)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Mouse Norovirus (MNV)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Theiler Virus (TMEV - GDVII)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Rotavirus (EDIM)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Sendai (SEND)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Reovirus 3 (REO 3)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Pneumonia Virus (PVM)</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Mouse Thymic Virus (MTV)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Mouse Cytomegalovirus (MCMV)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Hantaan Virus (HANT)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Mouse Choriomening (LCMV)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Mouse Adenovirus (MAV 1&2)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>K Virus (K)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Ectromelia (ECTRO)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Polyoma Virus (POLY)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
<i>Lactate Dehydrog. Virus (LDV)</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
Bacteria					
<i>Tyzzers Disease (CPIL)</i> ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Bordetella bronchiseptica</i> ae	Culture	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Corynebacterium bovis</i> af	PCR	RADS US	10-Feb-2021	0 / 7	0 / 820
<i>Citrobacter rodentium</i> ae	Culture	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Corynebacterium kutscheri</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Mycoplasma pulmonis</i> ad	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 464
<i>Pasteurella pneumotropica</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Pasteurella multocida</i> ae	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Salmonella spp.</i> ae	Culture	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Streptobacillus moniliformis</i> ae	PCR / Direct Exan	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Beta Hemolytic Streptococci</i> ae	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Streptococcus pneumoniae</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Helicobacter hepaticus</i> ae	PCR	RADS US	02-Feb-2021	0 / 12	0 / 269
<i>Helicobacter bilis</i> ae	PCR	RADS US	02-Feb-2021	0 / 12	0 / 269
<i>Helicobacter, other spp</i> ae	PCR	RADS US	02-Feb-2021	0 / 12	0 / 269
<i>Staphylococcus aureus</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Pseudomonas aeruginosa</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Klebsiella pneumoniae</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
<i>Klebsiella oxytoca</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771

EUROPE MOUSE SOPF/CCF

EUROPEAN

Charles River Laboratories France

Location: CRL France B12 Mice Health Status: SOPF/CCF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Pneumocystis sp.</i> ae	PCR	RADS US	02-Feb-2021	0 / 16	0 / 317
<i>Proteus mirabilis</i> af	Culture	RADS EU	10-Feb-2021	0 / 7	0 / 771
CAR <i>Bacillus</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
Parasites					
<i>Ectoparasites</i> ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Helminths</i> ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Enteric Pathogenic Protozoa</i> ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>Other Protozoa</i> ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268
<i>E. cuniculi</i> ae	MFIA	RADS US	02-Feb-2021	0 / 16	0 / 272
Lesions Observed					
Gross Exam ae	Exam	RADS EU	02-Feb-2021	0 / 12	0 / 268

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
CD-1	C57BL/6J
SWISS NUDE	NU/NU B/C

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services United States Wilmington Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU
 Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination;
 b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks;
 e = screened quarterly; f = screened weekly.

B12 CRLF Mice SOPF