

**France Mouse Immunocompetent
EUROPEAN**

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Minute Virus of Mouse (MVM)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Mouse Parvovirus (MPV)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Mouse Hepatitis Virus (MHV)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Mouse Norovirus (MNV)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Theiler Virus (TMEV - GDVII)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Rotavirus (EDIM)</i> ae	MFIA	RADS US	14-Oct-2019	0 / 4	0 / 88
<i>Sendai (SEND)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 64
<i>Reovirus 3 (REO3)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 64
<i>Pneumonia Virus (PVM)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 64
<i>Mouse Thymic Virus (MTV)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
<i>Mouse Cytomegalovirus (MCMV)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
<i>Hantaan Virus (HANT)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
<i>Lymphocytic choriomeningitis (LCMV)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 62
<i>Mouse Adenovirus (MAV 1&2)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 62
<i>K Virus (K)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
<i>Ectromelia (ECTRO)</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 62
<i>Polyoma Virus (POLY)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
<i>Lactate Dehydrogenase Virus (LDV)</i> af	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60
Bacteria					
<i>Tyzzers Disease (CPIL)</i> af	Necropsy Exam	RADS EU	07-Oct-2019	0 / 4	0 / 60
<i>Bordetella bronchiseptica</i> af	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Citrobacter rodentium</i> af	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Corynebacterium kutscheri</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Corynebacterium bovis</i> ad	PCR/Culture	RADS US/EU	08-Oct-2019	0 / 1	0 / 117
<i>Mycoplasma pulmonis</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 64
<i>Pasteurella pneumotropica</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Pasteurella multocida</i> ad	Culture	RADS EU	07-Oct-2019	0 / 4	0 / 139
<i>Salmonella spp</i> af	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Streptobacillus moniliformis</i> af	PCR / Exam	RADS US/EU	08-Oct-2019	0 / 1	0 / 62
<i>Beta Hemolytic Streptococci</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Streptococcus pneumoniae</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Helicobacter hepaticus</i> af	PCR	RADS US	08-Oct-2019	0 / 1	0 / 38
<i>Helicobacter bilis</i> af	PCR	RADS US	08-Oct-2019	0 / 1	0 / 38
<i>Helicobacter, other spp</i> af	PCR	RADS US	08-Oct-2019	0 / 1	0 / 38
<i>Staphylococcus aureus</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Pseudomonas aeruginosa</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141

**France Mouse Immunocompetent
EUROPEAN**

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Pneumocystis spp.</i> af	PCR	RADS US	08-Oct-2019	0 / 1	0 / 38
<i>Proteus mirabilis</i> ad	Culture	RADS EU	08-Oct-2019	0 / 1	0 / 141
CAR <i>Bacillus</i> af	MFIA	RADS US	08-Oct-2019	0 / 1	0 / 62
Lesions observed					
Gross Exam ae	Necropsy exam	RADS EU	07-Oct-2019	0 / 4	0 / 60
Parasites					
<i>Ectoparasites</i> ae	Direct Exam	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Helminths</i> ae	Direct Exam	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Enteric Pathogenic Protozoa</i> ae	Direct Exam	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>Other protozoa</i> ae	Direct Exam	RADS EU	08-Oct-2019	0 / 1	0 / 62
<i>E. cuniculi</i> ae	MFIA	RADS US	07-Oct-2019	0 / 4	0 / 60

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred NMRI	Inbred 129/SV-E BALB/CJ C57BL/6J	Hybrid OT II
-----------------	---	-----------------

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services United States Wilmington
Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU
Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination;
b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks;
e = screened quarterly on all isolators;
f = screened quarterly on 1/4 of isolators.

B13 isolators room SOPF : immunocompetent