

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location
CRL France B70 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Rat Parvovirus Type 1 (RPV) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Rat Parvovirus Type 2 (RMV) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Toolan H1 Virus (H1) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Kilham Rat Virus (KRV) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Rat Coronavirus (RCV/SDAV) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Rat Theiler Virus (RTV, GDVII) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Reovirus 3 (REO3) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Sendai Virus (SEND) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Pneumonia Virus of Mice (PVM) ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
<i>Mouse Adenovirus (MAV 1 & 2) ae</i>	MFIA	RADS US	22-Feb-2021	0 / 16	0 / 154
<i>Lymphocytic Choriomeningitis (LCMV) ae</i>	MFIA	RADS US	22-Feb-2021	0 / 16	0 / 128
<i>Hantaan Virus (HANT) ae</i>	MFIA	RADS US	22-Feb-2021	0 / 16	0 / 154
Bacteria and Fungi					
<i>Tyzzers Disease (CPIL) ae</i>	Exam	RADS EU	12-Apr-2021	0 / 12	0 / 128
<i>Bordetella bronchiseptica be</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Corynebacterium kutscheri ae</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Mycoplasma pulmonis ad</i>	MFIA	RADS EU	19-Apr-2021	0 / 16	0 / 378
<i>Rodentibacter heyltii be</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Rodentibacter pneumotropicus be</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Pasteurella multocida ae</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Salmonella spp. ae</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Streptobacillus moniliformis ae</i>	PCR / Exam	RADS EU	12-Apr-2021	0 / 12	0 / 154
<i>Beta Streptococcus - Grp A ce</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Beta Streptococcus - Grp B ce</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Beta Streptococcus - Grp C ce</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Beta Streptococcus - Grp G ce</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Streptococcus pneumoniae be</i>	Culture	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Helicobacter hepaticus ae</i>	PCR	RADS US	12-Apr-2021	0 / 8	0 / 98
<i>Helicobacter bilis ae</i>	PCR	RADS US	12-Apr-2021	0 / 8	0 / 98
<i>Helicobacter, other species ae</i>	PCR	RADS US	12-Apr-2021	0 / 8	0 / 98
<i>Filobacterium rodentium (CAR Bacillus) ae</i>	MFIA	RADS EU	22-Feb-2021	0 / 16	0 / 154
<i>Pneumocystis spp. ad</i>	MFIA	RADS US	19-Apr-2021	0 / 16	0 / 378
Parasites					
<i>Lice ae</i>	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Mites ae</i>	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Other Ectoparasites ce</i>	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Aspiculuris tetraptera ae</i>	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Syphacia muris ae</i>	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location CRL France B70 Rats Health Status SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasites					
<i>Syphacia obvelata</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Other Helminths</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Cryptosporidium sp.</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Eimeria spp.</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Encephalitozoon cuniculi</i> ae	MFIA	RADS US	22-Feb-2021	0 / 16	0 / 128
<i>Giardia sp.</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Spironuleus sp.</i> ae	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Entamoeba sp.</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 114
<i>Chilomastix sp.</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Hexamastix sp.</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Monocercomonoides sp.</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Retortamonas sp.</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Trichomonads</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88
<i>Other Protozoa</i> ce	Exam	RADS EU	12-Apr-2021	0 / 8	0 / 88

Lesion Observed

Gross Exam bg	Necropsy Exam	RADS EU	12-Apr-2021	0 / 12	0 / 128
---------------	---------------	---------	-------------	--------	---------

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred	Other Species
OFA SD	ZDF FA+	Mice
WISTAR HAN	ZDF FA/FA	
Zucker FA (Orl)		
Zucker Lean (Orl)		

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:

d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.