

France Mouse Immunodeficient
EUROPEAN

Charles River Laboratories France

Location
CRL France C03I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Minute Virus of Mouse (MVM) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Parvovirus (MPV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Hepatitis Virus (MHV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Norovirus (MNV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Theiler Virus (TMEV - GDVII) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Rotavirus (EDIM) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Sendai Virus (SEND) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Reovirus 3 (REO3) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Pneumonia Virus of Mice (PVM) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Thymic Virus (MTV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Cytomegalovirus (MCMV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Hantaan Virus (HANT) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Lymphocytic Choriomeningitis (LCMV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Adenovirus (MAV 1&2) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>K Virus (K) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Ectromelia Virus (ECTRO) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Polyoma Virus (POLY) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Lactate Dehydrogenase Virus (LDV) ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Mouse Chapparovirus (MuCPV) ae</i>	PCR	RADS US	13-Apr-2021	0 / 8	0 / 38
Bacteria					
<i>Tyzzers Disease (CPIL) ae</i>	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
<i>Bordetella bronchiseptica ae</i>	Culture	RADS EU	13-Apr-2021	0 / 8	0 / 160
<i>Citrobacter rodentium ae</i>	Culture	RADS EU	13-Apr-2021	0 / 8	0 / 160
<i>Corynebacterium kutscheri ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Corynebacterium bovis ad</i>	PCR/Culture	RADS US/EU	03-May-2021	0 / 4	0 / 505
<i>Mycoplasma pulmonis ae</i>	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
<i>Rodentibacter heyltii ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Rodentibacter pneumotropicus ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Pasteurella multocida ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Salmonella spp ae</i>	Culture	RADS EU	13-Apr-2021	0 / 8	0 / 160
<i>Streptobacillus moniliformis ae</i>	PCR / Exam	RADS US/EU	13-Apr-2021	0 / 8	0 / 160
<i>Beta Streptococcus spp. ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Streptococcus pneumoniae ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Helicobacter hepaticus ae</i>	PCR	RADS US	13-Apr-2021	0 / 8	0 / 160
<i>Helicobacter bilis ae</i>	PCR	RADS US	13-Apr-2021	0 / 8	0 / 160
<i>Helicobacter, other spp. ae</i>	PCR	RADS US	13-Apr-2021	0 / 8	0 / 160
<i>Staphylococcus aureus ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Pseudomonas aeruginosa ad</i>	Culture	RADS EU	03-May-2021	0 / 4	0 / 505

France Mouse Immunodeficient
EUROPEAN

Charles River Laboratories France

Location
CRL France C03I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Pneumocystis spp.</i> ae	PCR	RADS US	13-Apr-2021	0 / 8	0 / 160
<i>Proteus mirabilis</i> ad	Culture	RADS EU	03-May-2021	0 / 4	0 / 505
<i>Filobacterium rodentium</i> (CAR Bacillus) ae	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82
Lesions observed					
Gross Exam ae	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
Parasites					
Ectoparasites ae	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
Helminths ae	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
Enteric Pathogenic Protozoa ae	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
Other protozoa ae	Exam	RADS EU	13-Apr-2021	0 / 8	0 / 160
Encephalitozoon cuniculi ae	MFIA	RADS US	13-Apr-2021	0 / 4	0 / 82

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SWISS NUDE

Other Strains
Congenic
CB17SCID
NSG

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened annually.