

EUROPE SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location CRL France ZE78 Rabbits Health Status SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Rab Hemorag Disease (RHDV) ae</i>	ELISA	RADS US	23-Mar-2021	0 / 8	0 / 48
<i>Rabbit Rotavirus ae</i>	MIFA	RADS US	23-Mar-2021	0 / 8	0 / 48
<i>Lymphocytic Choriomeningitis (LCMV) ae</i>	MFIA	RADS US	23-Mar-2021	0 / 8	0 / 64
Bacteria					
<i>Tyzzer Disease (C.PIL) ae</i>	Necropsy Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>Treponema cuniculi ae</i>	Agglutination	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>Bordetella bronchiseptica be</i>	Culture	RADS EU	23-Mar-2021	0 / 8	0 / 64
<i>Pasteurella multocida ae</i>	Culture	RADS EU	23-Mar-2021	0 / 8	0 / 64
<i>Pasteurella pneumotropica be</i>	Culture	RADS EU	23-Mar-2021	0 / 8	0 / 64
<i>Salmonella sp ae</i>	Culture	RADS EU	23-Mar-2021	0 / 8	0 / 64
<i>CAR BACILLUS ae</i>	MFIA	RADS US	23-Mar-2021	0 / 8	0 / 64
<i>Dermatophytes ae</i>	Direct Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
Parasites					
<i>C. parasitovorax ae</i>	Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>L. gibbus ae</i>	Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>Ps. cuniculi ae</i>	Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>Other Ectoparasite ae</i>	Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48
<i>P. ambiguus ad</i>	Exam	RADS EU	19-Apr-2021	0 / 8	0 / 152
<i>Other Helminths ad</i>	Exam	RADS EU	19-Apr-2021	0 / 8	0 / 136
<i>Eimeria spp. bd</i>	Exam	RADS EU	19-Apr-2021	0 / 8	0 / 136
<i>E. stiedae ad</i>	Exam	RADS EU	19-Apr-2021	0 / 8	0 / 136
<i>Other Pathogenic Protozoa ad</i>	Exam	RADS EU	19-Apr-2021	0 / 8	0 / 152
<i>E. cuniculi ae</i>	MFIA	RADS US	23-Mar-2021	0 / 8	0 / 64
Lesion Observed					
<i>Gross Exam bg</i>	Necropsy Exam	RADS EU	23-Mar-2021	0 / 8	0 / 48

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
KBL (NZW)

EUROPE SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location

CRL France ZE78 Rabbits

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services United States Wilmington
 Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU
 Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination;
 b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four or five weeks;
 e = screened quarterly; f = screened annually;
 g = screened quarterly by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.