

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

Location
Italy A004 Mice

Health Status
SPF / VAF

| Summary Item | Method | Primary Lab | Most Recent | | Past 18 Months |
|---|-------------------|-------------|-------------|-------------------|-------------------|
| | | | Test Date | Positive / Tested | Positive / Tested |
| Viruses | | | | | |
| <i>Minute Virus of Mice (MVM) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Mouse Parvovirus (MPV) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Mouse Hepatitis Virus (MHV) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Mouse Norovirus (MNV) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Theiler Virus (TMEV -GDVII) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Mouse Rotavirus (EDIM) ad</i> | MFIA | RADS US | 05-Feb-2021 | 0 / 16 | 0 / 320 |
| <i>Sendai (SEND) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Reovirus 3 (REO3) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Pneumonia Virus (PVM) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Mouse Thymic Virus (MTV) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Mouse Cytomegalovirus (MCMV) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Hantaan Virus (HANT) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Lymphocytic choriomeningitis (LCMV) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Mouse Adenovirus (MAV 1 & 2) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>K Virus (K) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Ectromelia (ECTRO) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Polyoma Virus (POLY) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Lactate Dehydrogenase Virus (LDV) ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Mouse Chapparovirus (MuCPV) be</i> | PCR | RADS US | 12-Jan-2021 | 0 / 4 | 0 / 8 |
| Bacteria | | | | | |
| <i>Tyzzers Disease (CPIL) ae</i> | Necropsy Exam | RADS EU | 12-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Bordetella bronchiseptica be</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Citrobacter rodentium ae</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Corynebacterium kutscheri ae</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Mycoplasma pulmonis ae</i> | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Rodentibacter heyltii be</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 32 |
| <i>Rodentibacter pneumotropicus be</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 32 |
| <i>Pasteurella multocida ae</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Salmonella spp ae</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Streptobacillus moniliformis ae</i> | PCR / Direct Exan | RADS EU | 12-Jan-2021 | 0 / 16 | 0 / 112 |
| <i>Beta Streptococcus - Grp A ce</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Beta Streptococcus - Grp B ce</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Beta Streptococcus - Grp C ce</i> | Culture | RADS US | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Beta Streptococcus - Grp G ce</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Streptococcus pneumoniae be</i> | Culture | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Helicobacter hepaticus ae</i> | PCR | RADS US | 12-Jan-2021 | 0 / 8 | 0 / 56 |
| <i>Helicobacter bilis ae</i> | PCR | RADS US | 12-Jan-2021 | 0 / 8 | 0 / 56 |
| <i>Helicobacter typhlonius ae</i> | PCR | RADS US | 12-Jan-2021 | 0 / 8 | 0 / 56 |

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

Location Italy A004 Mice Health Status SPF / VAF

| Summary Item | Method | Primary Lab | Most Recent | | Past 18 Months |
|--|--------|-------------|-------------|-------------------|-------------------|
| | | | Test Date | Positive / Tested | Positive / Tested |
| Bacteria | | | | | |
| <i>Helicobacter, other species</i> ae | PCR | RADS US | 12-Jan-2021 | 0 / 8 | 0 / 56 |
| <i>Filobacterium rodentium (CAR Bacillus)</i> ae | MFIA | RADS EU | 08-Jan-2021 | 0 / 16 | 0 / 112 |
| Parasites | | | | | |
| <i>Lice</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Mites</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Other Ectoparasites</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Aspicularis tetraptera</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Syphacia muris</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Syphacia obvelata</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Other Helminths</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Cryptosporidium sp.</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Eimeria spp.</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Encephalitozoon cuniculi</i> ae | MFIA | RADS US | 08-Jan-2021 | 0 / 16 | 0 / 96 |
| <i>Giardia sp.</i> ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Spirotrichomonas</i> sp. ae | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Entamoeba sp.</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Chilomastix sp.</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Hexamastix sp.</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Monocercomonoides sp.</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Retortamonas sp.</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| <i>Trichomonads</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 64 |
| <i>Other Protozoa</i> ce | Exam | RADS EU | 12-Jan-2021 | 0 / 8 | 0 / 48 |
| Lesion Observed | | | | | |
| <i>Gross Exam</i> bg | Exam | RADS EU | 12-Jan-2021 | 0 / 16 | 0 / 96 |

* dashes indicate not tested during specified period.

HOUSED STRAINS

| Outbred | Inbred | Other Strains |
|---------|--------------------------|-----------------------------|
| CD-1 | B6 OB BKS DB NOD/J | <u>Congenic</u> B6-LY5.1 |

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

| | |
|------------------------------------|-----------------------------------|
| <i>Location</i> Italy A004 Mice | <i>Health Status</i> SPF / VAF |
|------------------------------------|-----------------------------------|

| <i>Summary Item</i> | <i>Method</i> | <i>Primary Lab</i> | <i>Most Recent</i> | | <i>Past 18 Months</i> |
|---------------------|---------------|--------------------|--------------------|--------------------------|--------------------------|
| | | | <i>Test Date</i> | <i>Positive / Tested</i> | <i>Positive / Tested</i> |

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:

d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/Results validation could take up to 3 weeks.

Area 4 CRLI Mice SPF