

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

Location
Italy A007 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Rat Parvovirus Type 1 (RPV) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Rat Parvovirus Type 2 (RMV) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Toolan H1 Virus ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Kilham Rat Virus (KRV) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>RCV/SDAV ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Rat Theiler Virus (RTV, GDVII) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Reovirus 3 (REO3) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>SENDAI (SEND) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Pneumonia Virus (PVM) ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
<i>Mouse Adenovirus (MAV) ae</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 124
<i>Lymphocytic choriomeningitis (LCMV) ae</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 112
<i>Hantaan Virus ae</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 124
Bacteria and Fungi					
<i>Tyzzers Disease (C.PIL) ae</i>	Necropsy Exam	RADS EU	03-Sep-2019	0 / 12	0 / 72
<i>Bordetella bronchiseptica be</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Corynebacterium kutscheri ae</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Mycoplasma pulmonis ad</i>	MFIA	RADS EU	11-Oct-2019	0 / 16	0 / 316
<i>Pasteurella pneumotropica be</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Pasteurella multocida ae</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 48
<i>Salmonella sp ae</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Streptobacillus moniliformis ae</i>	PCR / Direct Exan	RADS EU	03-Sep-2019	0 / 12	0 / 84
<i>B Haemolytic Strepto A ce</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>B Haemolytic Strepto G ce</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Streptococcus pneumoniae be</i>	Culture	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Helicobacter hepaticus ae</i>	PCR	RADS US	03-Sep-2019	0 / 8	0 / 52
<i>Helicobacter bilis be</i>	PCR	RADS US	03-Sep-2019	0 / 8	0 / 52
<i>Helicobacter other be</i>	PCR	RADS US	03-Sep-2019	0 / 8	0 / 52
<i>Carbacillus ae</i>	MFIA	RADS EU	11-Oct-2019	0 / 16	0 / 124
<i>Pneumocystis spp. ad</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 316
Parasites					
<i>E. cuniculi ae</i>	MFIA	RADS US	11-Oct-2019	0 / 16	0 / 112
<i>Ectoparasite ae</i>	Direct Exam	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Helminth ae</i>	Direct Exam	RADS EU	03-Sep-2019	0 / 8	0 / 60
<i>Enteric Pathogenic Protozoa ae</i>	Direct Exam	RADS EU	03-Sep-2019	0 / 8	0 / 60
Lesion Observed					
<i>Gross Exam bg</i>	Necropsy Exam	RADS EU	03-Sep-2019	0 / 12	0 / 72

* dashes indicate not tested during specified period.

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

<i>Location</i> Italy A007 Rats	<i>Health Status</i> SPF / VAF
------------------------------------	-----------------------------------

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>
HOUSED STRAINS					
	Outbred L/E WISTAR ZUC-FA/FA	Inbred F344 WAG/RIJ			Other Species Gerbils Mice

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services United States Wilmington
 Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU
 Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination
 b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four or five weeks;
 e = screened every 12 or 13 weeks;
 f = screened annually; g = screened quarterly by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.

Area 7 CRLI Rats SPF