

Mouse VAF Report

North America

Charles River Kingston

Location

Kingston K84 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
PVM ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MHV ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
MVM ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
MPV ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
MNV ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
TMEV (GDVII) ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
REO ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
EDIM ad	MFIA	RADS US	11-Feb-2021	0 / 16	0 / 336
LCMV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
ECTRO ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MAV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MCMV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
K ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
POLY ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
HANT ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
MTLV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
LDV af	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
MuCPV be	PCR	RADS US	10-Nov-2020	0 / 4	8 / 12
Microbiology					
<i>B. bronchiseptica</i> be	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>C. rodentium</i> ae	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
CAR <i>Bacillus (F. rodentium)</i> ae	MFIA/PCR	RADS US	14-Jan-2021	0 / 16	0 / 144
<i>C. kutscheri</i> ae	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>H. bilis</i> ae	PCR	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>H. hepaticus</i> ae	PCR	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>Helicobacter sp.</i> ae	PCR	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>K. oxytoca</i> ce	Culture	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>K. pneumoniae</i> ce	Culture	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>M. pulmonis</i> ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
<i>P. multocida</i> ce	Culture	RADS US	10-Nov-2020	0 / 8	0 / 40
<i>R. heyltii</i> ce	Culture/PCR	RADS US	10-Nov-2020	0 / 8	0 / 24
<i>R. pneumotropicus</i> ce	Culture/PCR	RADS US	10-Nov-2020	0 / 8	0 / 24
<i>P. aeruginosa</i> ce	Culture	RADS US	10-Nov-2020	0 / 16	0 / 80
<i>Salmonella spp.</i> ae	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Staph. aureus</i> ce	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>S. moniliformis</i> af	PCR	RADS US	13-Feb-2020	0 / 16	0 / 16
<i>Strep. pneumoniae</i> be	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48

Mouse VAF Report

North America

Charles River Kingston

Location

Kingston K84 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>Beta Strep. sp. - Grp B</i> ce	Culture	RADS US	10-Nov-2020	0 / 8	8 / 48
<i>Beta Strep. sp. - Grp G</i> ce	Culture	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Beta Strep. sp.</i> ce	Culture	RADS US	10-Nov-2020	0 / 8	0 / 40
<i>Tyzzler's Disease</i> ag	Exam	RADS US	10-Nov-2020	0 / 16	0 / 80
Pathology					
<i>Gross Exam</i> eh	Exam, Histopathol	RADS US	10-Nov-2020	0 / 16	0 / 84
Parasitology					
<i>Ectoparasites</i> ae	Exam	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Helminths</i> ae	Exam	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Giardia sp.</i> ae	Exam	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Spironucleus sp.</i> ae	Exam	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>Other Protozoa</i> ce	Exam	RADS US	10-Nov-2020	0 / 8	0 / 48
<i>E. cuniculi</i> ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/C
C57BL/6

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.