

Mouse VAF Report

North America

Charles River Kingston

Location

Kingston K92 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
PVM ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
MHV ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
MVM ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
MPV ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
MNV ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
TMEV (GDVII) ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
REO ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
EDIM ad	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 336
LCMV ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
ECTRO ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
MAV ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
MCMV ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
K ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
POLY ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
HANT ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
MTLV ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
LDV af	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120
Microbiology					
<i>B. bronchiseptica</i> be	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>C. rodentium</i> ae	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
CAR <i>Bacillus</i> ae	MFIA/PCR	RADS US	24-Sep-2020	0 / 16	0 / 144
<i>C. kutscheri</i> ae	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>H. bilis</i> ae	PCR	RADS US	18-Aug-2020	0 / 16	0 / 112
<i>H. hepaticus</i> ae	PCR	RADS US	18-Aug-2020	0 / 16	0 / 112
<i>Helicobacter</i> sp. ae	PCR	RADS US	18-Aug-2020	0 / 16	0 / 112
<i>K. oxytoca</i> ce	Culture	RADS US	18-Aug-2020	0 / 16	1 / 112
<i>K. pneumoniae</i> ce	Culture	RADS US	18-Aug-2020	0 / 16	0 / 112
<i>M. pulmonis</i> ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 144
<i>P. multocida</i> ce	Culture	RADS US	18-Aug-2020	0 / 8	0 / 56
<i>P. pneumotropica</i> ce	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>P. aeruginosa</i> ce	Culture	RADS US	18-Aug-2020	0 / 16	0 / 112
<i>Salmonella</i> spp. ae	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>Staph. aureus</i> ce	Culture	RADS US	18-Aug-2020	0 / 8	4 / 72
<i>S. moniliformis</i> af	PCR	RADS US	24-Feb-2020	0 / 16	0 / 32
<i>Strep. pneumoniae</i> be	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72
Beta <i>Strep. sp. - Grp B</i> ce	Culture	RADS US	18-Aug-2020	2 / 8	29 / 72
Beta <i>Strep. sp. - Grp G</i> ce	Culture	RADS US	18-Aug-2020	0 / 8	0 / 72

Mouse VAF Report

North America

Charles River Kingston

Location

Kingston K92 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>Beta Strep. sp.</i> ce	Culture	RADS US	18-Aug-2020	0 / 8	0 / 56
<i>Tyzzers Disease</i> ag	Exam	RADS US	18-Aug-2020	0 / 16	0 / 112
Pathology					
<i>Gross Exam</i> eh	Exam, Histopathol	RADS US	18-Aug-2020	0 / 16	0 / 130
Parasitology					
<i>Ectoparasites</i> ae	Exam	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>Helminths</i> ae	Exam	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>Giardia sp.</i> ae	Exam	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>Spironucleus sp.</i> ae	Exam	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>Other Protozoa</i> ce	Exam	RADS US	18-Aug-2020	0 / 8	0 / 72
<i>E. cuniculi</i> ae	MFIA	RADS US	24-Sep-2020	0 / 16	0 / 120

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
NCI SwWEB

Inbred
C57BL/6
NCI A/JCr
NCI B6-LY5
NCI BALB/C
NCI C3H
NCI C57BL/6N
NCI FVB

Hybrid
NCI CB6F1

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.