

# Mouse VAF Report

## North America

Charles River Raleigh

Location  
Raleigh R09 Mice

Health Status  
VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Virology</b>					
SEND ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
PVM ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MHV ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
MVM ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
MPV ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
MNV ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
TMEV (GDVII) ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
REO ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
EDIM ad	MFIA	RADS US	10-Feb-2021	0 / 16	0 / 336
LCMV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
ECTRO ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MAV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
MCMV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
K ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
POLY ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
HANT ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
MTLV ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
LDV af	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128
MuCPV be	PCR	RADS US	08-Dec-2020	0 / 4	0 / 12
<b>Microbiology</b>					
<i>B. bronchiseptica</i> be	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>C. rodentium</i> ae	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
CAR <i>Bacillus (F. rodentium)</i> ae	MFIA/PCR	RADS US	14-Jan-2021	0 / 16	0 / 144
<i>C. kutscheri</i> ae	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>H. bilis</i> ae	PCR	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>H. hepaticus</i> ae	PCR	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>Helicobacter sp.</i> ae	PCR	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>K. oxytoca</i> ce	Culture	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>K. pneumoniae</i> ce	Culture	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>M. pulmonis</i> ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 144
<i>P. multocida</i> ce	Culture	RADS US	08-Dec-2020	0 / 8	0 / 48
<i>R. heyltii</i> ce	Culture/PCR	RADS US	08-Dec-2020	0 / 8	0 / 32
<i>R. pneumotropicus</i> ce	Culture/PCR	RADS US	08-Dec-2020	0 / 8	0 / 32
<i>P. aeruginosa</i> ce	Culture	RADS US	08-Dec-2020	0 / 16	0 / 96
<i>Salmonella spp.</i> ae	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Staph. aureus</i> ce	Culture	RADS US	08-Dec-2020	0 / 8	18 / 56
<i>S. moniliformis</i> af	PCR	RADS US	10-Mar-2020	0 / 16	0 / 16
<i>Strep. pneumoniae</i> be	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56

## Mouse VAF Report

### North America

Charles River Raleigh

Location

Raleigh R09 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Microbiology</b>					
<i>Beta Strep. sp. - Grp B</i> ce	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Beta Strep. sp. - Grp G</i> ce	Culture	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Beta Strep. sp.</i> ce	Culture	RADS US	08-Dec-2020	0 / 8	0 / 48
<i>Tyzzler's Disease</i> ag	Exam	RADS US	08-Dec-2020	0 / 16	0 / 96
<b>Pathology</b>					
<i>Gross Exam</i> eh	Exam, Histopathol	RADS US	08-Dec-2020	0 / 16	0 / 96
<b>Parasitology</b>					
<i>Ectoparasites</i> ae	Exam	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Helminths</i> ae	Exam	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Giardia sp.</i> ae	Exam	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Spironucleus sp.</i> ae	Exam	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>Other Protozoa</i> ce	Exam	RADS US	08-Dec-2020	0 / 8	0 / 56
<i>E. cuniculi</i> ae	MFIA	RADS US	14-Jan-2021	0 / 16	0 / 128

\* dashes indicate not tested during specified period.

#### HOUSED STRAINS

**Outbred**  
CD-1

**Other Species**  
Rats

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.