

Mouse VAF Report

North America

Charles River Raleigh

Location

Raleigh R09 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
PVM ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
MHV ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 336
MVM ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 336
MPV ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 336
MNV ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 336
TMEV (GDVII) ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 344
REO ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
EDIM ad	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 336
LCMV ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
ECTRO ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
MAV ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
MCMV ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
K ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
POLY ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
HANT ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
MTLV ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
LDV af	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128
Microbiology					
<i>B. bronchiseptica</i> be	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>C. rodentium</i> ae	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
CAR <i>Bacillus</i> ae	MFIA/PCR	RADS US	10-Apr-2019	0 / 16	0 / 160
<i>C. kutscheri</i> ae	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>H. bilis</i> be	PCR	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>H. hepaticus</i> ae	PCR	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>Helicobacter</i> sp. be	PCR	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>K. oxytoca</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>K. pneumoniae</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>M. pulmonis</i> ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 160
<i>P. multocida</i> ce	Culture	RADS US	12-Mar-2019	0 / 8	0 / 48
<i>P. pneumotropica</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>P. aeruginosa</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 96
<i>Salmonella</i> spp. ae	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>Staph. aureus</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	28 / 64
<i>S. moniliformis</i> af	PCR	RADS US	12-Mar-2019	0 / 16	0 / 32
<i>Strep. pneumoniae</i> be	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
Beta <i>Strep. sp. - Grp B</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64
Beta <i>Strep. sp. - Grp G</i> ce	Culture	RADS US	12-Mar-2019	0 / 16	0 / 64

Mouse VAF Report

North America

Charles River Raleigh

Location

Raleigh R09 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>Beta Strep. sp.</i> ce	Culture	RADS US	12-Mar-2019	0 / 8	0 / 48
Tyzzler's Disease ag	Exam	RADS US	12-Mar-2019	0 / 16	0 / 96
Pathology					
Gross Exam eh	Exam, Histopathol	RADS US	12-Mar-2019	0 / 16	0 / 96
Parasitology					
Ectoparasites ae	Exam	RADS US	12-Mar-2019	0 / 16	0 / 64
Helminths ae	Exam	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>Giardia sp.</i> be	Exam	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>Spironucleus sp.</i> be	Exam	RADS US	12-Mar-2019	0 / 16	0 / 64
Other Protozoa ce	Exam	RADS US	12-Mar-2019	0 / 16	0 / 64
<i>E. cuniculi</i> ae	MFIA	RADS US	10-Apr-2019	0 / 16	0 / 128

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Other Species
Rats

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.