

Rat VAF Report

North America

Charles River Raleigh

Location

Raleigh R17G Rats

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
PVM ae	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
SDAV ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
KRV ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
H1 ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
RPV ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
RMV ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
REO ae	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
RTV ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
LCMV ae	MFIA	RADS US	06-Apr-2021	0 / 5	0 / 90
HANT ae	MFIA	RADS US	06-Apr-2021	0 / 5	0 / 90
MAV ae	MFIA	RADS US	06-Apr-2021	0 / 5	0 / 90
Microbiology					
<i>B. bronchiseptica</i> be	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
CAR <i>Bacillus (F. rodentium)</i> ae	MFIA/PCR	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>C. kutscheri</i> ae	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>H. bilis</i> ae	PCR	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>H. hepaticus</i> ae	PCR	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Helicobacter sp.</i> ae	PCR	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>K. oxytoca</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	3 / 90
<i>K. pneumoniae</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	9 / 90
<i>M. pulmonis</i> ad	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
<i>P. multocida</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>R. heyltii</i> ce	Culture/PCR	RADS US	06-Apr-2021	0 / 5	0 / 35
<i>R. pneumotropicus</i> ce	Culture/PCR	RADS US	06-Apr-2021	0 / 5	0 / 35
<i>P. aeruginosa</i> ce	Culture	RADS US	06-Apr-2021	1 / 5	37 / 90
<i>Salmonella spp.</i> ae	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Staph. aureus</i> ce	Culture	RADS US	06-Apr-2021	2 / 5	38 / 90
<i>S. moniliformis</i> af	PCR	RADS US	02-Mar-2021	0 / 5	0 / 30
<i>Strep. pneumoniae</i> be	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
Beta <i>Strep. sp. - Grp B</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
Beta <i>Strep. sp. - Grp G</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
Beta <i>Strep. sp.</i> ce	Culture	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Pneumocystis spp.</i> bd	MFIA	RADS US	05-May-2021	0 / 8	0 / 250
Tyzzers Disease ag	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
Pathology					
Gross Exam ei	Exam, Histopathol	RADS US	06-Apr-2021	0 / 5	0 / 90

Rat VAF Report

North America

Charles River Raleigh

Location

Raleigh R17G Rats

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasitology					
<i>Ectoparasites</i> ae	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Helminths</i> ae	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Giardia sp.</i> ae	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Spironucleus sp.</i> ae	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>Other Protozoa</i> ce	Exam	RADS US	06-Apr-2021	0 / 5	0 / 90
<i>E. cuniculi</i> ae	MFIA	RADS US	06-Apr-2021	0 / 5	0 / 90

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BN NIA
F344CDF NIA

Hybrid
F344CDF/BN NIA

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination; i = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.