

## Barrier Room Environmental Monitoring

### North America

Charles River California

Location  
Hollister H44 Environment

Health Status  
VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Virology</b>					
MVM	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
MPV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
H1	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
KRV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
RMV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
RPV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
EDIM	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
MHV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
MNV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
SDAV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
TMEV (GDVII)	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
RTV	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<b>Microbiology</b>					
<i>Helicobacter Genus</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<i>P. pneumotropica</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<i>Pneumocystis</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<b>Parasitology</b>					
<i>Ectoparasites</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<i>Pinworms</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19
<i>Spironucleus sp.</i>	PCR	RADS US	20-Apr-2021	0 / 1	0 / 19

\* dashes indicate not tested during specified period.

HOUSED STRAINS

**Other Species**  
Mice

Barrier Room Environmental Screening