

# Mouse VAF Report

## North America

Charles River California

Location

Hollister H48 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Virology</b>					
SEND ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
PVM ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
MHV ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
MVM ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
MPV ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
MNV ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
TMEV (GDVII) ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
REO ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
EDIM ad	MFIA	RADS US	09-Feb-2021	0 / 16	0 / 352
LCMV ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
ECTRO ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
MAV ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
MCMV ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
K ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
POLY ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
HANT ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
MTLV ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
LDV af	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128
MuCPV be	PCR	RADS US	12-Jan-2021	0 / 4	0 / 28
<b>Microbiology</b>					
B. bronchiseptica be	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64
C. rodentium ae	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64
CAR Bacillus (F. rodentium) ae	MFIA/PCR	RADS US	12-Jan-2021	0 / 32	0 / 160
C. kutscheri ae	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64
H. bilis ae	PCR	RADS US	12-Jan-2021	0 / 16	0 / 96
H. hepaticus ae	PCR	RADS US	12-Jan-2021	0 / 16	0 / 96
Helicobacter sp. ae	PCR	RADS US	12-Jan-2021	0 / 16	0 / 96
K. oxytoca ce	Culture	RADS US	12-Jan-2021	0 / 16	0 / 96
K. pneumoniae ce	Culture	RADS US	12-Jan-2021	0 / 16	0 / 96
M. pulmonis ae	MFIA	RADS US	12-Jan-2021	0 / 32	0 / 160
P. multocida ce	Culture	RADS US	12-Jan-2021	0 / 8	0 / 48
R. heyltii ce	Culture/PCR	RADS US	12-Jan-2021	0 / 16	0 / 40
R. pneumotropicus ce	Culture/PCR	RADS US	12-Jan-2021	0 / 16	0 / 40
P. aeruginosa ce	Culture	RADS US	12-Jan-2021	0 / 16	0 / 96
Salmonella spp. ae	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64
Staph. aureus ce	Culture	RADS US	12-Jan-2021	16 / 16	35 / 64
S. moniliformis af	PCR	RADS US	12-Jan-2021	0 / 16	0 / 32
Strep. pneumoniae be	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64

## Mouse VAF Report

### North America

Charles River California

Location

Hollister H48 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
<b>Microbiology</b>					
<i>Beta Strep. sp. - Grp B</i> ce	Culture	RADS US	12-Jan-2021	8 / 16	17 / 64
<i>Beta Strep. sp. - Grp G</i> ce	Culture	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>Beta Strep. sp.</i> ce	Culture	RADS US	12-Jan-2021	0 / 8	0 / 48
<i>Tyzzler's Disease</i> ag	Exam	RADS US	12-Jan-2021	0 / 16	0 / 96
<b>Pathology</b>					
<i>Gross Exam</i> eh	Exam, Histopathol	RADS US	12-Jan-2021	0 / 16	0 / 96
<b>Parasitology</b>					
<i>Ectoparasites</i> ae	Exam	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>Helminths</i> ae	Exam	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>Giardia sp.</i> ae	Exam	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>Spironucleus sp.</i> ae	Exam	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>Other Protozoa</i> ce	Exam	RADS US	12-Jan-2021	0 / 16	0 / 64
<i>E. cuniculi</i> ae	MFIA	RADS US	12-Jan-2021	0 / 16	0 / 128

\* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred  
BALB/C

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.